

INDEX MAPS.

T. 7 N, R. 4 E. 2nd Mer.

	365-366	365-366	365-366	365-366	365-367	365-367
369	6 377 5 380 4 382 3 386 2 392 1 364					
	377	379	382	385	391	392
368	7 376 8 379 9 382 10 385 11 391 12 364					
	376	378	381	385	390	390
368	18 376 17 378 16 381 15 384 14 390 13 364					
	376	376	378	380	384	389
368	19 375 20 373 21 380 22 383 23 389 24 363					
	374	374	373	371	383	388
367	30 374 29 372 28 371 27 383 26 387 25 363					
	373	374	372	371	370	386
367	31 373 32 372 33 370 34 370 35 369 36 362					
	361	361	361	362	362	362

T. 8 N, R. 4 E. 2nd Mer.

	400	399-400	399-400	399-400	399-401	399-401
403	6 425 5 419 4 415 3 411 2 407 1 399					
	425	424	419	415	411	407
403	7 424 8 418 9 414 10 411 11 406 12 398					
	423	423	418	414	410	406
402	18 423 17 418 16 414 15 410 14 406 13 398					
	422	422	417	413	409	405
402	19 422 20 417 21 413 22 409 23 405 24 398					
	421	421	417	413	409	404
401	30 421 29 416 28 412 27 408 26 404 25 397					
	420	420	416	412	408	404
401	31 420 32 416 33 412 34 408 35 403 36 397					
	395	395-396	395-396	395-396	395-396	395-397

(C) The figures on the lines refer to the page.

Township N. 8 North, Range N. 4 East. Ind. Mer Indiana

South Boundary.

- West On Random S. boundary of Sec. 36, T. 8 N. R. 4 E.
 2. 35 a Creek 50. lkgs wide Course S. E.
 40. 00 Set temp. of. Sec. post
 80. 00 Set temp. of. Sec. post Cor. to Sec. 35 & 36, T. 8 N. R. 4 E.

- West On Rand. S. boundary of Sec. 35, T. 8 N. R. 4 E.
 40. 00 Set temp. of. Sec. post
 80. 00 Set temp. of. post Cor. to Sec. 34, T. 8 N. R. 4 E.

- West On Rand. S. boundary of Sec. 34, T. 8 N. R. 4 E
 33. 60 a Branch 6 lkgs. wide Course S. W.
 40. 00 Set temp. of. Sec. post
 78. 80 a Branch 8 lkgs. wide Course S. W.
 80. 00 Set temp. post Cor. to Sec. 33 of 34, T. 8 N. R. 4 E.

- West On Rand. S. boundary of Sec. 33, T. 8 N. R. 4 E
 40. 00 Set temp. of. Sec. post
 80. 00 Set temp. post Cor. to Sec. 32 of 33, T. 8 N. R. 4 E.

- West On Rand. S. boundary of Sec. 32, T. 8 N. R. 4 E.
 5. 40 a Branch 6 lkgs. wide Course S.
 37. 40 a also 5 " " " S. E.
 40. 00 Set temp. of. Sec. post
 80. 00 Set temp. post Cor. to Sec. 31 of 32, T. 8 N. R. 4 E.

- West On Rand. S. boundary of Sec. 31, T. 8 N. R. 4 E.
 40. 00 Set temp. of. Sec. post
 83. 50 Set a post Cor. to Township N. 7 of 8 North,
 Range N. 3 of 4 E., from which
 a W. Oak 24 in. dia. bran. 164 E 4 lkgs. dist.
 a Dogw. 4 " " " 163 976 "

- East On true line S. boundary of Sec. 31, T. 8 N. R. 4 E.
 43. 50 Set thg. Sec. post on true line, from which
 a W. Oak 14 in. dia. bran. 139 E 23 lkgs. dist.

S8 N R4 E. I. Mer. Indiana

a W. Oak 20 in. dia. bran - 43 ft. 15 lbs. dist
 83.50 Set a post Cor. to Sec. 31 of 32, from which
 a Gum 13 in. dia. bran $\frac{1}{2}$ ft. 23 lbs. dist of
 a B. Oak 20 " " " N 35 W 32 " "

East On true line S. boundary of Sec. 32, S8 N R4 E.
 40.00 Let the q. Sec. post on true line, from which
 a Beech 12 in. dia. bran N 28 E 66 lbs. dist of
 a Hickory 20 " " " N 11 E 13 " "
 80.00 Set a post Cor. to Sec. 32 of 33, from which
 a Maple 8 in. dia. bran N 51 W 18 lbs. dist of
 a W. Oak 18 " " " S 57 E 14 " "

East On true line S. boundary of Sec. 33, S8 N R4 E.
 40.00 Let the q. Sec. post on true line, from which
 a W. Oak 15 in. dia. bran N 82 E 20 lbs. dist of
 a Do 24 " " " N 35 W 22 " "
 80.00 Set a post Cor. to Sec. 33 of 34, from which
 a Span. Oak 24 in. dia. bran N 82 E 39 lbs. dist of
 a W. Oak 18 " " " S 31 W 36 " "

East On true line S. bound. of Sec. 34, S8 N R4 E.
 40.00 Let the q. Sec. post on true line, from which
 a B. Oak 10 in. dia. bran N 25 E 24 lbs. dist of
 a Do 8 " " " S 75 E 21 " "
 80.00 Set a post Cor. to Sec. 34 of 35, from which
 a W. Oak 14 in. dia. bran N 35 W 6 lbs. dist of
 a Do 12 " " " N 21 E 19 " "

East On true line S. boundary of Sec. 35, S8 N R4 E
 40.00 Let the q. Sec. post, from which
 a W. Oak 8 in. dia. bran S 66 E 14 lbs. dist of
 a Do 14 " " " S 81 W 50 " "
 80.00 Set a post Cor. to Sec. 35 of 36, from which
 a B. Oak 30 in. dia. bran N 27 W 5 lbs. dist of
 a W. Oak 14 " " " S 5 E 17 " "

S. 8 N. R. & E. T. Mer. Indiana

East On true line S. bound. of Sec. 36, S. 8 N. R. & E.
 40.00 Set q. Sec. post on true line, from which
 a Hickory 13 in. dia. bran. N 78° E 10 lbs. dist. of
 a Do 12 " " 184° W 39 "
 80.00 Set a post cor. to Township R. 9th North,
 Range N. 4th 5th E. from which
 an Oak 13 in. dia. bran. N 4° W 21 lbs. dist. of
 a Hickory 6 " " 110° E 6 " "

~~August 24th 1818~~
 Surveyed June 3, 1819 by John McDonald
 D.S.

East Boundary. var. 6.45. E.

North On E. boundary of Sec. 36, S. 8 N. R. & E.
 9.83 a Beech 20 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bran. N 28° E 33 lbs. dist. of
 a Do 22 " " 118° W 8 " "
 a Beech 15 in. dia. in the line
 80.00 Set a post cor. to Sec. 25 of 36, from which
 a Beech 7 in. dia. bran. N 48° E. 10 lbs. dist. of
 a Do 16 " " N 78° W 14 "
 Over level land, timber Beech, Oak &c. underlyng Spice

North On E. boundary of Sec. 25, S. 8 N. R. & E.
 24.32 a Beech 18 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 9 in. dia. bran. N 25° W 24 lbs. dist. of
 a Dogwood 6 " " N 21° E 15 "
 63.82 a W. Oak 36 " " in the line
 78.10 a Brook 6 lbs. wide Course S. 99° E.
 80.00 Set a post cor. to Sec. 25 of 24 from which
 a Beech 13 in. dia. bran. N 34° E 20 lbs. dist. of
 an Ash 18 " " N 73° W 10 "
 Over rolling land, timber Beech, Poplar, Oak
 &c. underlyng Spice & Krier

38 N R4 E. I. Mer. Indiana

North On E. boundary of Sec. 24, 38 N. R4 E.
22.82 at Beech 20 m. dia.

40.00 At the gr. Sec. post, from which
at Beech 12 in. dia. bran 151 W 20 lbs. dist'd
a Do 10 " " " N 38 E 38 "

46.59 a Beech 18 "

80.00 Set a post Cor. to Sec. 13 & 24, from which
a Hickory 13 in. dia. bran 14 E 18 lbs. dist'd
at Beech 14 " " " N 35 W 12 "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, 38 N. R4 E.

10.10 a Beech 27 m. dia.

13.00 a Brook 6 lbs. wide course E.

18.10 a Creek 20 lbs. " " E.

40.00 At the gr. Sec. post from which
a Beech 20 m. dia. bran 127 W 24 lbs. dist'd
a Do 8 " " " N 1 E 18 "

80.00 Set a post Cor. to Sec. 12 & 13, from which
a — 14 in. dia. bran 166 E 8 lbs. dist'd
a W. Oak 40 " " " East 11 "

Over rolling land, timber Beech, Poplar
Oak &c. undergth. Spice & Vines

North On E. boundary of Sec 12, 38 N. R4 E.

40.00 At the gr. Sec. post, from which

a Beech 12 in. dia. bran 112 E 10 lbs. dist'd
a Do 8 " " " N 57 E 33 "

52.03 a Beech 18 "

62.55 a Brook 5 lbs. wide course E.

80.00 Set a post Cor. to Sec. 10 & 12, from which
a W. Oak 10 in. dia. bran 146 E 17 lbs. dist'd
a Gum 20 " " " N 85 E 24 "

Over level land, timber Beech, Oak & Hickory
undergth. green briar.

18 N. R. 4 E. I. Mer. Indiana

North On E. boundary of Sec. 1, 18 N. R. 4 E.
 17.80 a Beech 24 in. dia. ft.
 32.59 a Brook 6 ft. wide Course E.
 40.00 Set two gr. Sec. post, from which
 a W. Oak 14 in. dia. bran 12 E 19 ft. dist. of
 a Beech 12 " " 175 E 44 "
 85.00 Set a post Cor. to Township N. 8 & 9 North,
 Range 4 & 5 E., from which
 a Beech 14 in. dia. bran 123 E 8 ft. dist. of
 a Do 10 " " 154 E 10 "
 Over rolling land Beech & Oak under th.
 briar. June 3rd 1819.

North Boundary.

West On Rand. S. boundary of Sec. 36, 19 N. R. 4 E.
 40.00 Set temp. gr. Sec. post
 80.00 Set temp. post Cor. to Sec. 35 & 36, 19 N. R. 4 E.
 Very broken land, timber Oak, Beech &c.

West On Rand. S. boundary of Sec. 35, 19 N. R. 4 E.
 40.00 Set temp. gr. Sec. post
 80.00 Set temp. post Cor. to Sec. 34 & 35, 19 N. R. 4 E.
 Broken land, timber Oak, Beech & Hickory

West On Rand. S. boundary of Sec. 34, 19 N. R. 4 E.
 40.00 Set temp. gr. Sec. post
 80.00 Set temp. post Cor. to Sec. 33 & 34, 19 N. R. 4 E.
 Over rolling land timber Oak, Beech &c.

West On Rand. S. boundary of Sec. 33, 19 N. R. 4 E.
 40.00 Set temp. gr. Sec. post
 48.91 a Brook 8 ft. wide Course South
 80.00 Set temp. post Cor. to Sec. 32 & 33, 19 N. R. 4 E.
 Over broken land, timber Oak &c. undg. briar

West On Rand. S. boundary of Sec. 32, 19 N. R. 4 E.

S.A.T. R.C. & E.G. Mer. Indiana

40.00 Set tempy. gr. Sec. post
 80.00 Set a tempy. post Cor. to Sec. 31 & 32, Tg. N. R. 4 E.
 Over broken land, timber Oak &c. undg. briar

West On land S. boundary of Sec. 31, Tg. N. R. 4 E.
 40.00 Set tempy. gr. Sec. post
 76.50 Intersected the N. & S. line 235 lbs. N. of post
 Over broken land, timber Oak &c. undg. briar
 June 6th, 1819.

East On true line S. boundary of Sec. 31, Tg. N. R. 4 E.
 36.50 Set the gr. Sec. post, from which
 a W. Oak 18 in. diam. bran N 73° E 7 lbs. dist. of
 a Do 20 " " " 57 1/2 lbs. dist. of
 76.50 Set a post Cor. to Sec. 31 & 32, Tg. N. R. 4 E., from which
 a Beech 6 in. diam. bran N 12 1/2 W 7 lbs. dist. of
 a Do 30 " " " 5 1/2 lbs. "

East On true line S. boundary of Sec. 32, Tg. N. R. 4 E.
 40.00 Set the gr. Sec. post, from which
 a B. Oak 7 1/2 in. diam. bran N 33° E 34 lbs. dist. of
 a Do 20 " " " 133 9/16 " "
 80.00 Set a post Cor. to Sec. 32 & 33, Tg. N. R. 4 E., from which
 a Sugar 10 in. diam. bran N 20 E 10 lbs. dist. of
 a Do 12 " " " 115 E 28 " "

East On true line S. boundary of Sec. 33, Tg. N. R. 4 E.
 40.00 Set the gr. Sec. post, from which
 a Beech 20 in. diam. bran N 19 1/2 W 21 lbs. dist. of
 a Do 10 " " " 32 E 13 " "
 80.00 Set a post Cor. to Sec. 33 & 34, Tg. N. R. 4 E., from which
 a Gum 15 in. diam. bran N 70 W 25 lbs. dist. of
 a W. Oak 16 " " " 165 1/2 E 33 " "

East On true line S. boundary of Sec. 34, Tg. N. R. 4 E.
 40.00 Set the gr. Sec. post, from which

18 N. R. 4 E. 2^d. Mer. Indiana

- a W. Oak 40 in. dia. bran. S. 43° E. 31 lbs. dist. of
a Lime 20 " " " N. 18° W. 45 "
- 80.00 Set a post Cor. to Sec. 34 & 35, T. 9 N. R. 4 E., from which
a W. Oak 18 in. dia. bran. N. 64° W. 23 lbs. dist. of
a Hickory 4 " " " I. 72 E. 2 " "

East On true line S. boundary of Sec. 35, T. 9 N. R. 4 E.

- 40.00 Set thw gr. Sec. post, from which
a Maple 8 in. dia. bran. S. 38° E. 13 lbs. dist. of
a Beech 12 " " " N. 11° W. 24 "
- 80.00 Set a post Cor. to Sec. 35 & 36, T. 9 N. R. 4 E., from which
a Beech 13 in. dia. bran. N. 48° E. 13 lbs. dist. of
a Do 9 " " " I. 22 E. 22 "

East On true line S. boundary of Sec. 36, T. 9 N. R. 4 E.

- 40.00 Set thw gr. Sec. post, from which
a Hickory 7 in. dia. bran. N. 13° E. 14 lbs. dist. of
a Maple 7 " " " I. 27 W. 25 "
- 80.00 to Cor. of Township, T. 8 & 9 N. Range, T. 4 E. 5 E.

West Boundary.

- North On E. boundary of Sec. 36, T. 8 N. R. 3 E.
22.70 a W. Oak 18 in. dia.
- 40.00 Set thw gr. Sec. post, from which
a W. Oak 13 in. dia. bran. S. 61° E. 25 lbs. dist. of
a Hickory 7 " " " N. 61° W. 24 "
- 62.90 a Branch 8 lbs. wide Course West
77.45 a Do 8 lbs. " " " N. W.
- 80.00 Set a post Cor. to Sec. 25 & 36, T. 8 N. R. 3 E., from which
a W. Oak 15 in. dia. bran. S. 41° E. 14 lbs. dist. of
a Do 20 " " " N. 21 W. 37 "
- Brown land timber Oak & Hickory
underg. Oak & Sassafras, stony hills

North On E. boundary of Sec. 25, T. 8 N. R. 3 E.

- 16.15 a sugar 18 in. dia. in the line

S.E. 1/4 E. 2^d. Mer. Indiana

- 16.98 a Creek 40 lvs. wide Course N.W.
 40.00 Settling gr. Sec. post, from which
 a Sassafras 6 in. dia. bran 177 E 9 lvs. dist. of
 a Do 5 " N 52 9 W 10 " "
 56.86 a W. Oak 20 " "
 62.40 a Branch 8 lvs. wide Course S. W.
 80.00 Settling cor. to Sec. 1/4 of 25, S.E. 1/4 E. 2^d, from which
 a Hickory 20 in. dia. bran 157 E 15 lvs. dist. of
 a Poplar 18 " N 59 E 26 " "
 This line over broken ground, timber Oak,
 Hickory, Beech &c. underg. ^{to} Oak, briar &c. Soil good

- North On E. boundary of Sec. 24, S.E. 1/4 E. 2^d
 15.90 a W. Oak 15 in. dia. in the line
 40.00 Settling gr. Sec. post, from which
 a W. Oak 18 in. dia. bran 153 N 24 lvs. dist. of
 a Dogwood 6 " N 82 E 25 " "
 80.00 Settling cor. to Sec. 1/3 of 24, S.E. 1/4 E. 2^d, from which
 a Maple 9 in. dia. bran - 35 1/2 E 8 lvs. dist. of
 a W. Oak 12 " N 87 1/2 W 26 " "
 This mile over hilly brushy ground, timber
 Oak, underg. ^{to} Hazel, grapevines &c.

- North On E. boundary of Sec. 13, S.E. 1/4 E. 2^d
 8.62 a Peach 24 in. dia.
 19.90 a Creek 100 lvs. wide Course S. W.
 40.00 Settling gr. Sec. post, from which
 a Hickory 7 in. dia. bran 179 N 9 lvs. dist. of
 a W. Oak 27 " N 57 1/2 E 8 " "
 72.76 a Maple 12 "
 80.00 Settling cor. to Sec. 1/2 of 13, S.E. 1/4 E. 2^d, from which
 a P. Oak 30 in. dia. bran 137 N 21 lvs. dist. of
 a W. Oak 14 " N 70 E 48 " "
 This line is over rolling land Creek bottom
 very rich, timber Oak, Beech &c. underg. ^{to}
 Hazel, Green briar &c.

18 N. R. 4 E. 2nd, Mer. Indiana

North On E. boundary of Sec. 12, 18 N. R. 3 E.

13.72 a W. Oak 10 in. dia.

40.00 Set thru of. Sec. post, from which
a Sassafras 8 in. dia. bran. N 60° W 11 lbs. dist. of
a Dogwood 4 " " " 116 E 20 "

55.24 a W. Oak 18 " "

80.00 Set a post Cor. to Sec. 16, 18 N. R. 3 E., from which
a Beech 14 in. dia. bran. 117° 18' N. dist. of
a Dogwood 4 " " " 158 E 11 "
This line over broken land, timber Oak & Beech
under Dogwood, Sassafras &c.

North On E. boundary of Sec. 1, 18 N. R. 3 E.

10.24 a W. Oak 18 in. dia.

40.00 Set thru of. Sec. post, from which
a Chest. Oak 9 in. dia. bran. N 56° E 24 lbs. dist. of
a Do 10 " " " N 19° W — "

53.24 a Red Oak 24 " "

84.96 Set a post Cor. to Township 8 of 9 North,
Range 3 of 4 E., from which
a W. Oak 13 in. dia. bran. 143° 17' 6 lbs. dist. of
a Maple 9 " " " N 10° W 20 "
Land hilly, timber Oak, underg. Hickory,
Sassafras &c..

Surveyed in 1819 by John McDonald, D. S.

Subdivision.

August 22nd, 1819. variation 6° 30' E.

North Between Sec. 35 & 36, 18 N. R. 4 E.

7.70 a W. Oak 15 in. dia. in the line

20.78 a Spanish Oak 26 in. dia. in the line

28.50 a branch 10 in. wide Course 180 E.

40.00 Set thru of. Sec. post, from which

a Beech 14 in. dia. bran. N 86° E 24 lbs. dist. of

a Do 10 " " " 187° W 20 1/2 "

80.00 a W. Oak 18 in. dia. marked as Cor. to Sec. 25,
26, 35 & 36.

404

18 N. R. C. 4 E. D. Mer. Indiana

First $\frac{1}{2}$ mile flat, timber Beech, W. Oak, etc., residue rolling, timber W. B. Oak, P. Jack & Sassafras, underling ^{to}.

East On Land between Sec. 25 & 36, 18 N. R. C. 4 E.

40.00 Set temp pt. of Sec. post

59.00 a Branch 15 lbs. wide Course S.

79.70 intersected the E. boundary of 128th, S. of post
Land rolling, first $\frac{1}{2}$ mile, timber W. B. Oak,
etc. underling P. Jack & Sassafras - last $\frac{1}{2}$ mile
Land level, timber Beech, Gum, W. Red Oak,
Ironwood & Dogwood underling ^{to}.

West out new line between Sec. 25 & 36, 18 N. R. C. 4 E.

17.96 a Beech 14 in. diam. in the line

39.85 Lft of. Sec. post at average dist. from which
a W. Oak 30 in. diam. bran. 13' E 13 lbs. diam. of
a Beech 10 " " " 119 ft 25. "

79.70 to Section Corner

North Between Sec. 25 & 26, 18 N. R. C. 4 E.

6.25 a W. Oak 18 in. diam. in the line

33.00 a Branch 8 lbs. wide Course N. E.

40.00 Set the pt. of Sec. post, from which
a Beech 18 in. diam. bran. 13' E 41 lbs. diam. of
a Maple 14 " " " 112 ft 97 40 " "

58.75 a Poplar 18 " " in the line

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
a Red Oak 18 in. diam. bran. 17' 6 29 lbs. diam. of
a Poplar 18 " " " 132 ft 97 18 " "

Land hilly & dreadfully thickly of Dogwood,
hickory, W. Oak, Red bud & grape vine, timber
Beech, W. Oak, Poplar, Gum etc. 3 rates.

East On Land between Sec. 24 & 25, 18 N. R. C. 4 E.

40.00 Set temp pt. of Sec. post.

Contd.

S8 N. R24 E. D. Mer. Indiana

- 49.00 a Branch 15 lbs. wide Course South
 51.50 Same 15 " " North
 53.00 Same 15 " " South
 80.10 Intercepted the E. boundary 205 lbs. S. of post
 First $\frac{1}{2}$ mile hilly & poor, timber W. Oak & Hickory
 B. Oak, Dogwood & Hornwood undg. $\frac{1}{3}$ rate

West Connected between Sec. 24 & 25, S8 N. R24 E.
 40.05 Set q. Sec. post at average dist., from which
 a Creek 15 in. dia. bears N19°W 9 lbs. dist. of
 a Do 3 " " N38°E 14 $\frac{1}{2}$ " "
 80.10 to Sec. corner. August 23. 1819

- North Between Sec. 23 & 24, S8 N. R24 E. D. Mer.
 16.50 a Sugar 10 in. dia. in the line
 24.00 a Branch 15 lbs. wide Course S70 E.
 34.30 a Creek 15 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Dogwood 4 in. dia. bears N10°W 6 $\frac{1}{2}$ lbs. dist. of
 a Creek 10 " " S27°E 23 " "
 59.00 a W. Oak 48 in. dia. in the line
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Sugar 14 in. dia. bears N13°W 38 lbs. dist. of
 a Creek 10 " " S37°E 4 " "
 Land rolling, timber Beech, W. Oak, Hickory,
 Poplar, Sugar, Ironw. & Dogwood undg. $\frac{1}{3}$ rate

East On Rand. between Sec. 13 & 24, S8 N. R24 E.

- 40.00 Set temp. q. Sec. post
 80.26 Intercepted the E. boundary 248 lbs. S. of post
 Land rolling $\frac{1}{2}$ " rate, timber Beech, Poplar
 W. Red Oak, Sugar, some Spruce undg.

West Connected between Sec. 13 & 24, S8 N. R24 E.
 13.20 a Creek 18 in. dia. in the line
 18.70 a Hickory 15 " " "

S8 N R4 E. 2 Mer. Indiana

- 40.13 Set the q. Sec. post at average dist. from which
at Beech 6 in. dia. bran 158 ft 11 in. dist. of
a Do 10 " " 182 ft 17 " "
45.70 a Beech 24 " in the line
80.26 to Sec. Corner.

North Between Sec. 13 & 14, S8 N R4 E

- 40.00 Set the q. Sec. post, from which
a W. Oak 18 in. dia. bran 143 ft 10 in. dist. of
a Beech 4 " " 121 ft 13 " "

- 52.96 a Beech 14 " in the line
65.50 a Branch 5 lbs. wide Course East
80.00 Set a post Cor. to Sec. 11, 19, 13 & 14, from which
a Gum 12 in. dia. bran 184 ft 4 in. dist. of
a Beech 14 " " 188 ft 10 "
Land rolling, timber Beech, W. & N. Oak, Poplar
Gum, Ironwood, Greenbrier underg. D. rate

East On Rand gr. between Sec. 12 & 13, S8 N R4 E.

- 40.00 Set tempy. q. Sec. post
66.50 a branch 15 lbs. wide Course S. E.
80.50 Intersected the N & S. line 290 lbs. S. of post
Land a little rolling, timber Beech, W. Oak, Poplar
& Gum some Spice, Ironwood, Beech, Dogwood underg.

West Connected between Sec. 12 & 13, S8 N R4 E.

- 40.25 Set q. Sec. post at average dist. from which
a Beech 15 in. dia. bran 178 ft 27 in. dist. of
a Do 14 " " 171 ft 12 1/2 " "

- 80.50 to Sec. Corner.

North Between Sec. 11 & 12, S8 N R4 E.

- 37.20 a P. Oak 24 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Beech 17 in. dia. bran 167 ft 6 in. dist. of
a Do 14 " " 170 ft 34 " "

407

18 N. R. 4 E. 2nd. Mer. Indiana

- 50.50 a branch 15 lbs. wide Course S. E.
 77.78 a W. Oak 20 in. diam. in the line
 80.00 Set a post Cor. to Sec. 1, 2, N. of 12, from which
 a W. Oak 24 in. diam. bran. N 17° W 22 lbs. dist. of
 a Do 18 " " " 17° E 9 " "
 Land rolling 2nd rate timber Beech, W. Oak &
 B. Oak, Hickory, Ironwood, Dogwood under.
-

East On Land between Sec. 1 & 12, 18 N. R. 4 E.

- 40.00 Set temp. of Sec. post
 80.81 Intersected the E. boundary 328 lbs. S. of post
 Land for 1st 1/2 mile very hilly, timber Chest.
 W. Oak &c. East 1/2 mile level land, timber
 Beech, Poplar, W. Oak, Ironwood & Dogwood
 under. 2nd rate
- " "
-

- West Connected between Sec. 1 & 12, 18 N. R. 4 E.
 3.60 a P. Beech 14 in. diam. in the line
 40.40 Set q. Sec. post at average dist. from which
 an Ironwood 4 in. diam. bran. 130 1/2 E 16 1/2 lbs. dist. of
 a Beech 24 " " " 134 W 25 " "
 80.81 to Sec. corner. August 24th 1879
-

- North Between Sec. 1 & 2, 18 N. R. 4 E.
 18.80 a W. Oak 18 in. diam. in the line
 40.00 Set th. q. Sec. post, from which
 a Chest. Oak 24 in. diam. bran. 145 E 25 lbs. dist. of
 a B. Oak 20 " " " 176 W 30 " "
 79.00 a P. Beech 18 " " in the line
 88.14 Intersected the N. boundary 150 lbs. N. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a P. Beech 12 in. diam. bran. 118 E 15 lbs. dist. of
 a Hickory 14 " " " 183 E 77 " "
 Land hilly high & poor, timber Chest. W. Oak,
 Hickory, Beech, some Hazel thickets, Ironwood,
 Lassafay & Green briar

S8 N R4 E. I. Mer. Indiana

North Between Sec. 34 & 35, S8 N R4 E.

24.63 a W. Oak 14 in. dia. in the line

40.00 Set a post, from which

a W. Oak 18 in. dia. bears N 48° 16' E. dist. of

a Do 18 " " 189 ft 31 "

46.40 a W. Oak 15 " in the line

68.00 a Branch 8 lbs. wide Course E.

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from
which an Ash 14 in. dia. bears N 35° 47' 25" E. dist. of

a Beech 10 " 187 ft 27 "

Land hilly & poor, timber Chest. W. B. Oak,
some Beech along the gullies - W. Oak Black
Jack undergrowth.

East On Random Between Sec. 26 & 35, S8 N R4 E.

24.00 Set a temp. of Sec. post

79.60 Intersected the N. & S. line 7 lbs. S. of post

Land rolling timber W. & B. Oak & Hickory thick
undergrowth of Dogwood W. Oak, 3rd rate.

West Corrected between Sec. 26 & 35, S8 N R4 E.

1.50 a W. Oak 14 in. dia. in the line

13.10 a Do 15 " " " "

39.80 Set of Sec. post at average dist. from which

a W. Oak 18 in. dia. bears N 81° 24' E. dist. of

a Maple 12 " " 141 1/2 E. 26 "

79.60 To Section Corner

North Between Sec. 26 & 27, S8 N R4 E.

7.70 a W. Oak 15 in. dia. in the line

40.00 Set of Sec. post, from which

a W. Oak 12 in. dia. bears North 15 lbs. dist. of

a Do 18 " " 156 39 " "

75.50 a W. Oak 15 " in the line

80.00 Set a post Corner to Sec. 22, 23, 26 & 27, from which

a W. Oak 6 in. dia. bears N 55° 47' 25" E. dist. of

409

~~S8 N R4 E. 9th Mer. Indiana~~

a Dogwood 5 in. dia. bears S45°W14 chs dist.
Land broken timber W. C. Oak Hickory underg.
Dog. W. Oak Sasafrogs Ironwood 3rd rate

East On Random Between Sec. 9 & 26, S8 N R4 E.

40. 00 Set temp. of Sec. post.

79. 58 Intersected the N. & S. line 55 chs E. of post
Land hilly and very thickly timber W. Oak Beech
B. Oak Poplar Gum & undergrowth Ash Dognd Iron.
Grapewines.

West Corrected between Sec. 9 & 26, S8 N R4 E.

4. 12 a W. Oak 20 in. dia. in the line

39. 79 Set of Sec. post at average dist. from which
a Gum 15 in. dia. bears S54°W29 p chs dist. of
a B. Oak 24 " " " N55 E 25 " "

79. 58 To Section Corner

North Between Sec. 22 & 23, S8 N R4 E.

13. 50 a Creek 8 chs. wide Course East.

14. 50 a B. Oak 14 in. dia. in the line

28. 50 a W. Oak 24 " " " "

33. 00 a Creek 5 chs. wide Course S. E.

40. 00 Set ^{the} of Sec. post, from which
a W. Oak 24 in. dia. bears N12 E 36 chs dist. of
a Do 20 " " " S65 E 27 " "

53. 06 a W. Oak 30 " " in the line

60. 00 a Creek 15 chs. wide Course S. E.

80. 00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
a Beech 14 in. dia. bears N41 E 19 chs dist. of
a Do 15 " " " S27 E 16 " "

Land hilly and covered with almost impenetrable
thickets of Ironwood Dogw. W. B. Oak. Grapewines
3rd rate &c.

East On Random between Sec. 14 & 23, S8 N R4 E.

Sect. R. & E. I., Mer. Indiana

15. 00 a Creek 18 chs. wide Course S. 80 E.
 28. 50 a Do 8 " " South
 40. 00 Set temp. of Sec. post
 80. 00 Intersected the N. & S. line 17 chs. N. of post.
 Land hilly timber Beech W. B. & R. Oak underly.
 Dogwood Hickory W. Oak 3^d. rate
-

West Corrected between Sec. 14 & 23. Off R. & E.
 40. 00 Set of Sec. post at average dist. from which
 a Beech 18 in. dia. bears S 84 W 16 chs. dist. of
 a Sugar 9 " " " N 34 E 26 " "
 80. 00 to Section corner Aug. 25. 1819.

North Between Sec. 14 & 15. Off R. & E.
 7. 85 a W. Oak 24 in. dia. bears
 13. 50 a Creek 3 chs. wide Course S. 70 E.
 40. 00 Set the q^d. Sec. post, from which
 a W. Oak 14 in. dia. bears S 35 W 22 p. ch. dist. of
 a Do 25 " " " N 55 E 34 " "
 59. 40 a Gum 24 " " in the line
 80. 00 Set a post Cor. to Sec. 10, 11, 14 & 15. from which
 a W. Oak 14 in. dia. bears S 29 E 13 ch. dist. of
 a Dogwood 3 " " " N 6 W 24 " "
 Land very broken timber W. B. & R. Oak Beech Gum
 & underly. Hickory W. Oak Dogwood Iron. Sassafras &
 Green brier 3^d. rate.

East On Random between Sec. 11 & 14. Off R. & E.
 40. 00 Set temp. of Sec. post.
 79. 70 Intersected the N. & S. line 23 chs. N. of post
 Land as before all timber. &c.

West Corrected between Sec. 11 & 14. Off R. & E.
 8. 80 a Poplar 40 in. dia. in the line
 39. 85 Set of Sec. post at average dist. from which
 a Hickory 5 in. dia. bears S 11 W 20 chs. dist. of

§8 N. R. 4 E. D. Mer. Indiana

a Hickory 3 in. dia. bears S $77\frac{1}{2}$ E 15 lbs. dist.
79.70 to Section Corner

- North Between Sect. 10 & 11, §8 N. R. 4 E.
- 30.12 a Sugar 14 in. dia. in the line
- 30.70 a branch 10 lbs. wide Course N.W.
- 40.00 Set thw qf. Sec. post, from which
a Beech 12 in. dia. bears S $87\frac{1}{2}$ W 45 lbs. dist. of
a W. Oak 26 " " N $4\frac{1}{2}$ W 13 "
- 42.14 a Beech 14 " " in the line
- 80.00 Set a post Cor. to Sect. 2, 3, 10 & 11, from which
a Chest. Oak 14 in. dia. bears N $35\frac{1}{2}$ E 14 lbs. dist. of
a Do 17 " " S $48\frac{1}{2}$ W $11\frac{1}{2}$ "
Land extremely hilly & poor, timber M. Chest.
Oak, Hickory some Beech &c. underg. w. P. Oak,
Hickory, S. Jack, Greenbrier, 3rd or last rate

East On Randm. between Sect. 3 & 11, §8 N. R. 4 E.

27.00 a branch 18 lbs. wide Course South

40.00 Set tempy. qf. Sec. post

79.90 intersected the N. & S. line 50 lbs. N. of post
Land on this side is composed of two huge
hills, timber Chest. & W. Oak very thickly
with Sassafras Black Jack &c.

West On true line between Sect. 2 & 11, §8 N. R. 4 E.

39.95 Set qf. Sec. post at average dist. from which
a W. Oak 24 in. dia. bears N $15\frac{1}{2}$ W 16 lbs. dist. of
a Hickory 5 " " S $86\frac{1}{2}$ W 24 "

79.90 to Sec. Corner

North Between Sect. 2 & 3, §8 N. R. 4 E.

40.00 Set thw qf. Sec. post, from which
a Dogwood 6 in. dia. bears N $73\frac{1}{2}$ E 14 lbs. dist. of
a Sassafras 4 " " N $63\frac{1}{2}$ W 5 "
55.08 a W. Oak 20 " " in the line

S8 N. R4 E. 2^d Mer. Indiana

70.00 a P. Oak 20 in. dia. in the line
 87.36 Intersected the N. boundary 22 ch. W. of post
 Set a post Cor. to Sec. 34, from which
 a W. Oak 18 in. dia. bears North 11 chs. dist. &
 a Dogwood 6 " " 130 $\frac{1}{2}$ E 28 "
 Land rolling, timber W. W. B. Oak, Beech, Poplar,
 ash & Sprucewood 2" rate

August 26th 1819

North Between Sec. 33 & 34, S8 N. R4 E.

40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. dia. bears S 30 $\frac{1}{2}$ E 18 $\frac{1}{2}$ chs. dist. &
 a Gum 10 " " N 33 $\frac{1}{2}$ W 21 "

80.00 Set a post Cor. 10 Sec. 27, 28, 33 & 34, from which
 a C. Oak — in. dia. bears N 11 $\frac{1}{2}$ W 44 chs. dist. &
 a Do — " " S 5 $\frac{1}{2}$ E 4 "

Land hilly and poor thinly timbered with C. Oak and
 -ergrowth Sassafras Black Jack Hickory 5. rate

East On Random Between Sec. 27 & 34, S8 N. R4 E.

40.00 Set tempy. q. Sec. post

79.00 a Creek 10 chs. wide Course South

79.70 Intersected the N & S. line 56 ch. S. of post
 Land and timbered &c. as on the last Mile

West Corrected between Sec. 27 & 34, S8 N. R4 E.

6.68 a Gum 12 in. dia. in the line

39.85 Set q. Sec. post. at average dist. from which
 77. " " a W. Oak 12 in. dia. bears S 40 E 21 chs. dist. &
 a Do 14 " " N 35 $\frac{1}{2}$ W 6 "

79. 70 To Section Corner

North Between Sec. 27 & 28, S8 N. R4 E.

14.60 a C. Oak 20 in. dia. in the line

40.00 Set the q. Sec. post. from which
 a Maple 13 in. dia. bears N 29 E 21 chs. dist. &

S8 N - R24 E. I., Mar. Indiana

- a Maple 12 in. dia. bears S40°W 27 lkh. dist.
 53. 85 a Gum 15 " " in the line
 80. 00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Ch. Oak 11 in. dia. bears N77°W 15 lkh. dist. ff
 a Do 12 " " S66°E 20 "
 Land Hilly and poor timber as before 5. rate

East On Random between Sec. 22 & 27, S8 N R24 E.

40. 00 Set temp. g. Sec. post.

79. 65 Intersected the N. & S. line 100 lkh. S. of post.

Land Hilly Steep. and high timber W. C. Oak Hickory
 Beech ff. undergrowth W. Oak Sassafras Hickory B. Oak
 & grape vine green briars plenty 3. rate

West Corrected between Sec. 22 & 27 S8 N R24 E.

39. 73 W. Oak 18 in. dia. in the line

39. 82 ff. Let g. Sec. post, ^{at average dist.} from which
 a W. Oak 18 in. dia. bears East 9°. lkh. dist. ff
 a Ch. Oak 12 " " S26°W 9 "

79. 65 To Section Corner

North Between Sec. 21 & 22, S8 N R24 E.

3. 80 a Ch. Oak 15 in. dia. in the line

39. 20 a Beech 15 " " "

40. 00 Set the g. Sec. post, from which

 a Beech 14 in. dia. bears N80°E 4 lkh. dist. ff
 a Do 14 " " S10°E 40 " "

40. 50 a Creek 8 lkh. wide Course East

47. 26 a W. Oak 15 in. dia. in the line

80. 00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a B. Oak 18 in. dia. bears N53°W 12 lkh. dist. ff
 a Hickory 4 " " S70°E 21 "

Land Hilly timber C. ff. B. Oak Beech 3. rate

East On Random between Sec. 15 & 22, S8 N R24 E.

40. 00 Set temp. g. Sec. post

S8 N R24 E. D. Mer. Indiana

79. 60 Intersected the N & S. line 70 ebs. S. of post
Land extremely hilly timber as before. Aug. 27

West Corrected between Sec. 15 & 22. S8 N. R24 E.

39. 80 Set q. Sec. post at average dist. from which
a Beech 12 in. dia. bears N 40° W 40. ebs. dist. ff
a do 14 " " " N 34 E 21 "

79. 60 To Section Corner.

North Between Sec. 15 & 16. S8 N. R24 E.

29. 95 a Gum 14 in. dia. in the line

40. 00 Set the q. Sec. post. from which
a Beech 15 in. dia. bears N 51 1/2 W 25 ebs. dist. ff
a do 12 " " " S 70 E 6 "

62.08 a Poplar 24 " " in the line

80. 00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
a W. Oak 24 in. dia. bears N 35 E 10 ebs. dist. ff
a Sugar 13 " " " S 59 1/2 W 34 "

Land very hilly timber ff. c. as on the last Mile

East On Random between Sect 10, & 15. S8 N. R24 E.

59. 07 a Creek 10 ebs. wide Course North

40. 00 Set tempy. q. Sec. post

79. 40 Intersected the N & S. line 40 ebs. S. of post
Land hilly and very thickly timbered undergrowth as on
the last Mile

West Corrected between Sec. 10 & 15. S8 N. R24 E.

38. 99 a W. Oak 20 in. dia. in the line

39. 70 Set q. Sec. post at average dist. from which
a Sugar 10 in. dia. bears S 81 E 28. ebs. dist. ff
a Beech 14 " " " S 75 1/2 W 19 "

79. 40 To Section Corner

North Between Sect. 9 & 10. S8 N. R24 E.

7. 76 a Beech 18 in. dia. in the line

S8 N. R. 4 E. T. Mer. Indiana

9. 50 a Poplar 18 in dia. in the line
 40. 00 Set the of. Sec. post, from which
 a Gum 10 in. dia. bears N 60° E 56 chs. dist. ft.
 a W. Oak 34 " " S 47° W 34 " "
 58. 50 a Creek 20 chs. wide Course N. W.
 80. 00 Set a post Cor. to Sec. 3. 4. 9 & 10, from which
 a W. Oak 12 in. dia. bears N 48° W 20 chs. dist. ft.
 a Poplar 6 " " N 73° E 36 "
 Land hilly high and steep timbered ac. as on the last
 Mile undergrowth Ironwood Dogwood &c 5^o rate
-

- East On Random between Sec. 3 & 10, S8 N. R. 4 E.
 27. 50 a Creek 20 chs. wide Course South
 40. 00 Set temp. of. Sec. post
 79. 50 Intersected the N. & S. line 4 chs. South of post
 Land entirely hilly and stony timber as on the
 last Mile undergrowth Sassafras Dogwood &c.
-

- West Corrected between Sec. 3 & 10, S8 N. R. 4 E.
 39. 75 Set of. Sec. post at average dist. from which
 a Sugar 12 in. dia. bears N 16° W 12 1/2 chs dist. ft.
 a Do 12 " " West 24 " "
 79. 50 to Section Corner
-

- North Between Sec. 3 & 4. S8 N. R. 4 E.
 18. 00 a Creek 10 chs. wide Course S. 20° W.
 31. 13 a Beech 14 in. dia. in the line
 40. 00 Set the of. Sec. post, from which
 a W. Oak 10 in. dia. bears N 61° E 32 chs dist. ft.
 a Do 18 " " S 63° E 19 " "
 87. 00 Intersected the N. boundary 72 chs. East of post
 Set a post Cor. to Sec. 3 & 4, from which
 a W. Oak 14 in. dia. bears S 66° W 43 chs dist. ft.
 a B. Oak 36 " " S 8° W 34 " "
 Land uncommonly hilly and stony and thickly timbered
 with W. & B. Oak Hickory Beech Poplar undergrowth

S8 N R4 E. T. Mer. Indiana

Sassafras W. & B. Oak Hickory &c. 3^d. rate, Aug 28th.

North Between Sec. 32 & 33, S8 N. R4 E.

4. 00 a Creek 10 chs. wide Course S80^W.

11. 48 a W. Oak 18 in. dia. in the line

40. 00 Set the qf. Sec. post, from which

a Hickory 12 in. dia. bears North 25 chs. dist. 8

a W. Oak 18 " " S25^W 27 " "

73. 50 a Poplar 30 " in the line

80. 00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which

a B. Oak 14 in. dia. bears N73 E8 chs. dist. 8

a W. Oak 12 " " N66^W 17^{1/2} " "Land rolling timber B. Gum W. Oak Beech Poplar
B. Oak undergrowth Dogwood Iron? &c. 3^d. rate

East On Random between Sec. 28 & 33, S8 N. R4 E.

40. 00 Set tempy. qf. Sec. post

78. 86 Intersected the N. & S. line 67. chs. South of post

Land hilly timber and undergrowth as on the last mile

West Corrected between Sec. 28 & 33, S8 N. R4 E.

19. 80 a W. Oak 14 in. dia. in the line

39. 45 Set qf. Sec. post at average dist. from which

a Gum 14 in. dia. bears N74^W 9 chs. dist. 8

a Dogwood 3 " " S62 E17 " "

78. 86 To Section Corner

North Between Sec. 28 & 29, S8 N. R4 E.

6. 22 a Poplar 26 in. dia. in the line

27. 86 a B. Oak 18 " " "

33. 00 a Creek 10 chs. wide Course West

40. 00 Set the qf. Sec. post, from which

a Maple 12 in. dia. bears N38 E22 chs. dist. 8

a Beech 12 " " S43^W 27 " "

80. 11 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

a Sp. Oak 20 in. dia. bears N80^W E40 chs. dist. 8

S8 N R4 E. D. Mer. Indiana

a Dogwood 3 in. dia. bear N 84° W 22 lbs. dist. 1
 Land hilly timber W. B. Oak Beech Gum undergrowth
 Dogwood Ironwood Sassafras and Greenbriars 3^d. rate.

East On Random between Sec. 21 & 28, S8 N R4 E.

40.00 Set temp^r. q. Sec. post

78.75 Intersected the N. & S. line 25 ebs. S. of post
 Land hilly and very high timber W. Oak Ch. Oak Hickory
 Gum &c. undergrowth Sassafras Black Jack Hickory Green
 briars &c. 3^d. rate.

West Corrected Between Sec. 21 & 28, S8 N. R4 E.

37.04 a Poplar 24 in. dia. in the line

39.37 Set q. Sec. post at average dist. from which
 an Ironwood 4 in. dia. bear S 59° E 7 lbs. dist. 4
 a Do 3 " " " S 66° W 25 " "

78.75 To Section Corner

North Between Sec. 20 & 21, S8 N. R4 E.

27.44 a W. Oak 14 in. dia. in the line

40.00 Set the q. Sec. post from which
 a Beech 12 in. dia. bear N 3° W 19 lbs. dist. 4
 a Do 10 " " " S 54° E 31 " "

67.00 a B. Oak 20 " " in the line

80.00 Set a post Cor. to Sec. 16, 17, 20 & 21. from which
 a Beech 15 in. dia. bear S 13° W 13 ch. dist. 8
 a Do 12 " " " N 79° E 20 " "

Land and timber as on the last Mile. 3^d. rate

East On Random between Sec. 16 & 21, S8 N. R4 E.

40.00 Set temp^r. q. Sec. post

78.86 Intersected the N. & S. line 74 ebs. South of post
 Land timber &c. as on the last Mile. Aug. 29.

West Corrected between Sec. 16 & 21, S8 N. R4 E.

39.43 Set q. Sec. post at average dist. from which

S8 N R4 E. I. Mer. Indiana

an Ash 18 in. dia. bears East $4\frac{1}{2}$ chs. dist. &
a W. Oak 18 " " " N 61. 47 21 " "

78.86 to Section Corner

- North Between Sec. 16 & 17, S8 N R4 E.
 19. 00 a W. Oak 20 in. dia. in the line
 39. 50 a Creek 10 ehs. wide Course N. W.
 40. 00 Set the q. Sec. post, from which
 a Hickory 6 in. dia. bears N 57. 1/4 W 24 chs. dist. &
 a Poplar 10 " " " S 86 1/4 E 14 1/2 " "
 54. 70 a Hickory 28 " " in the line
 80. 00 Set a post Corner to Sec. 8. 9. 16 & 17, from which
 a W. Oak 18 in. dia. bears S 63 1/4 W 31 chs. dist. &
 a Do 18 " " " N 32 E 7 " "
 Land and timber as on the last Mile.

- East On Random between Sec. 9 & 16, S8 N R4 E.
 3. 00 a Creek 10 ehs. wide Course South
 40. 00 Set tempy. q. Sec. post.
 79. 00 Intersected the N. & S. line 1. 16 ehs. South of post
 Land unusually hilly steep and high one-sided
 thicket for last mile of Sasapay grapevines & Green
 briers timber W. Oak P. Oak poplar Gum &c. 3^d rate

- West Corrected between Sec. 9 & 16, S8 N R4 E.
 8. 00 a P. Oak 18 in. dia. in the line
 39. 50 Set the q. Sec. post at average dist. from which
 a P. Oak 30 in. dia. bears N 77 1/2 E 8 1/2 chs. dist. &
 a W. Oak 24. " " " S 70 1/2 W 45 " "
 79. 00 to Sec. Corner

- North Between Sec. 8 & 9, S8 N R4 E.
 38. 25 a Gum 18 in. dia. in the line
 40. 00 Set the q. Sec. post, from which
 a Red Oak 6 in. dia. bears N 48 1/2 W 5 1/2 chs. dist. &
 a Sasapay 8. " " " S 86 1/2 E 34 " "

419

88 N R. 4 E. D. Mer. Indiana

56. 20 a Beech 18 in. dia. in the line
 80. 00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a W. Oak 18 in. dia. bears N 47° 35'. lkd. dist. &
 a Beech 14 " " S 28° 45" "
 Land Hilly and very thickly timberd. W. Oak, Gum
 some Beech & Sugar, undergrowth Ironwood Dogwood
 W. Oak Hickory Hazel and Spice -
-

- East On Brandon Between Sec. 4 & 9. 88 N R. 4 E.
 40. 00 Let temp. of Sec. post
 58. 00 a Creek 20 lks. wide Course N. W.
 68. 00 Same " " S. W.
 79. 00 Intersected the N. & S. line 103 lks. S. of post
 Land Broken & Hilly high steep. timber W. Oak B. Oak
 Hickory, Beech Gum undergrowth W. Oak Dog? Beech Snow.
-

- West Corrected between Sec. 4 & 9. 88 N R. 4 E.
 39. 50 Let of. Sec. post at average dist. from which
 a W. Oak 30 in. dia. bears S 88° 12' lkd. dist. &
 a Beech 12 " " N 53° E 30 " "
 79. 00 to Section Corner
-

- North Between Sec. 4 & 5. 88 N. R. 4 E.
 13. 50 a Creek 20 lks. wide Course N.
 18. 70 a Poplar 20 in. dia. in the line
 40. 00 Set the of. Sec. post, from which
 a W. Oak 18 in. dia. bears N 47° 11' W 30 lks. dist. &
 a Hickory 6 " " N 37° E 21 " "
 57. 40 a W. Oak 18 " in the line
 66. 00 a Creek 25 lks. wide Course West
 86. 70 Intersected the N. boundary 107 lks. East of post
 Set a post Cor. to Sec. 4 & 5. from which
 a Sugar 14 in. dia. bears S 44° W 18 lks. dist. &
 a Beech 6 " " N 72° E 25 " "
 Land Hilly timber Beech W. Oak B. Oak Gum Sugar 3. rate
-

420

Sec N R 4 E. I. Mer. Indiana

- North Between Sec. 31 & 32, Sec N R 4 E.
18. 24 a B. Oak 18 in. dia. in the line
40. 00 Set the q. Sec. post, from which
a Dogwood 4 in. dia. bears N 24 E 22 chs. dist. ff
a " " 3 " " S 49 W 17 " "
59. 88 a W. Oak 14 " " in the line
80. 01 Setapost Cor. to Sec. 31, 32, 29 & 30. from which
a W. Oak 15 in. dia. bears S 15 E 17 chs. dist. ff.
a Dog. 3 " " N 39 W 10 "
- Sand rolling timber W. B. Oak Hickory Ash Beech
undergrowth as before 3^d rate

East On Random between Sec. 29 & 32, Sec N R 4 E.

40. 00 Set tempq. q. Sec. post.
79. 56 Intersected the N. & S. line 41 hrs. South of post
Land rolling, timber W. & B. Oak, Poplar, Beech
Hickory &c. 2^d rate

West Corrected between Sec. 29 & 32, Sec N R 4 E.

39. 78 Set q. Sec. post at average dist. from which
a W. Oak 12 in. dia. bears S 87 W 14 hrs. dist. ff
a Dogw. — " " " S 75 E 20 " "
79. 56 to Sec. corner.

West Between Sec. 30 & 31, Sec N R 4 E.

15. 70 a W. Oak 18 in. dia. in the line
40. 00 Set the q. Sec. post, from which
a Hickory 12 in. dia. bears S 55 W 18 hrs. dist. ff
a " " 8 " " N 34 E 15 "
55. 28 a Blk. Walnut 14 in. dia. in the line
82. 24 Intersected the N. boundary 96 hrs. N. of post
Set a post Cor. to Sec. 30 & 31, from which
a W. Oak 18 in. dia. bears N 35 E 39 hrs. dist. ff
a " " 18 " " S 39 W 39 "
- Sand hilly, timber W. & B. Oak, Hickory, Beech
Gum &c.

Sec. 18 N. R.R. E. I. Illinoian Indiana

North Between Sec. 29 & 30, Sec. 18 N. R.R. E.

40.00 At the of. Sec. post, from which
an Hornwood 7 in. dia. bran 158 ft. 16 lbs. dist. of

a Do 5 " " 132 ft. 7 "

69.85 a W. Oak 14 in. dia. in the line

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
a Hickory 6 in. dia. bran 175 ft. 7 lbs. dist. of

a W. Oak 4 " " 137 ft. 7 "

Land rolling, timber W. & B. Oak, Beech, Hickory,
Gum &c. undg. to Cassopay, red bud, W. Oak & Hickory.

East On Random between Sec. 20 & 29, Sec. 18 N. R.R. E.

35.50 a Branch 10 lbs. wide course north

40.00 Set temp. of. Sec. post

80.40 intersected the N. S. line 6 lbs. N. of post
Land hilly, timber W. & B. Oak, Hickory, Beech
Gum - undg. the Dogw. Ironw. W. Oak & Hickory

West Connected between Sec. 20 & 29, Sec. 18 N. R.R. E.

32.35 a W. Oak 18 in. dia. in the line

40.20 At gr. Sec. post at average dist. from which
a W. Oak - in. dia. bran 189 ft. 40 lbs. dist. of
a Beech 15 " " 163 ft. 25 "

80.40 to Sec. corner.

West Between Sec. 19 & 30, Sec. 18 N. R.R. E.

40.00 At the of. Sec. post, from which
a Hickory 14 in. dia. bran 115 ft. 14 lbs. dist. of
a Dogw. 4 " " 15 ft. 8 ft. 16 "

64.43 a Hickory 17 in. dia. in the line

81.90 intersected the W. boundary 107 lbs. N. of post
Set a post Cor. to Sec. 19 & 30, from which
a Sugar 12 in. dia. bran 16 ft. 25 lbs. dist. of
a Maple 18 " " 14 ft. 35 "

Land hilly, timber W. & B. Oak, Hickory, Sugar,
Beech &c. undg. Ironw. Dogw. &c. 3rd rate

423

S. N. R. & C. D. Mer. Indiana

August 31st 1819

North Between Sec. 19 & 20, T. 8 N. R. 4 E.

17.25 a Beech 15 in. dia. in the line

40.00 Set the q. Sec. post. from which

a Beech 8 in. dia. bears N 40 E 23 chs. dist. $\frac{1}{2}$
a Sugar 12 " " S 40 W 4 "

70.50 a Creek 20 chs. wide Course N 20 E.

73.50 a Sycamore 18 in. dia. in the line

74.50 a Creek 20 chs. wide Course N 20 E.

80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which
a Beech 6 in. dia. bears N 66 W 14 chs. dist. $\frac{1}{2}$
a do 6 " " S 70 E 38 "Land Mountainous deep gullies and stony timber as
on the last Mile

East On Random between Sec. 17 & 20, T. 8 N. R. 4 E.

40.00 Set tempy. q. Sec. post

59.00 a Creek 15 chs. wide Course North

80.30 Intersected the N. & S. line 71 chs. North of post

Land rough and Mountainous & steep timber as before

West Corrected between Sec. 17 & 20, T. 8 N. R. 4 E.

14.65 a Poplar 36 in. dia. in the line

40.15 Set q. Sec. post at average dist. from which
a Beech 13 in. dia. bears S 51 E 32 chs. dist. $\frac{1}{2}$
a do 15 " " N 33 E 26 "

80.30 To Section Corner

West Between Sec. 18 & 19, T. 8 N. R. 4 E.

5.00 a Creek 15 chs. wide Course North

9.70 a B. Oak 24 in. dia. in the line

40.00 Set the q. Sec. post. from which

a Ironwood 4 in. dia. bears N 54 W 17 chs. dist. $\frac{1}{2}$
a Beech 12 " " S 49 E 21 "

47.95 a B. Oak 18 " in the line

80.26 Intersected the W. boundary 200 chs. North of post

Sect R4 E. 9th Mer. Indiana

Set a post Cor. to Sec. 18 & 19, from which
 a W. Oak 15 in. dia. bears S 10° E 36 eks. dist. $\frac{1}{2}$
 a P. Oak 3 " " N 5° E 23 " "
 Land timber &c as on the last Mile

North Between Sec. 17 & 18, S 8° N R 4 E.

12. 46 a Hickory 18 in. dia. in the line
 37. 00 a Creek 20 eks. wide Course N. 20° W.
 40. 00 Let the q. Sec. post, from which
 a Sugar 12 in. dia. bears N 29° W 29 eks. dist. $\frac{1}{2}$
 a Do 12 " " N 80° E 15 " "

49. 00 a Creek 25 eks. wide Course West

71. 50 a Do 10 " " S. 25° E.

80. 00 Let a post corner to Sec. 7 & 8, 17 & 18, from which
 a W. Oak 14 in. dia. bears N 31° W 16 $\frac{1}{2}$ eks. dist. $\frac{1}{2}$
 a Sugar 10 " " S 30° W 36 " "

Land level along the branch timber W. Oak Beech Sugar
 Ash undergrowth Spice 2^d. rate

East On Random between Sec. 8 & 17, S 8° N R 4 E.

33. 50 a Creek 25 eks. wide Course S. 10° W.

40. 00 Let temp^g. q. Sec. post

80. 00 Intersected the N. & S. line 1.74 eks. N. of post
 Land uncommon hilly and stony timber W. & B. Oak Hick^g.
 B. Jack & Cnt. Oak undergrowth Larchgrass Dog? Hick^g. 3^d. rate

West Corrected between Sec. 8 & 17, S 8° N R 4 E.

8. 20 a W. Oak 15 in. dia. in the line

40. 00 Set q. Sec. post at average dist. from which
 a B. Oak 24 in. dia. bears N 24° W 44 eks. dist. $\frac{1}{2}$
 a Hickory 3 " " S 21° W 23 " "

80. 00 to Section Corner

West Between Sec. 7 & 18, S 8° N R 4 E

4. 68 a Sycamore 30 in. dia. in the line

5. 00 a Creek 5 eks. wide course South

424

Sect. R.R. C. 2nd Mer. Indiana

- 40.00 Set the qf. Sec. post, from which
a Beech 14 in. dia. bears N 70° W. 22 chs. dist. &
a W. Oak 14 " " N 66° E. 20 " "
44.55 a B. Oak 18 " in the line
70.00 a Creek 5 chs. wide Course South
78.80 Intersected the W. boundary 2.41 chs. N. of post
Set a post Cor to Sec. 7 & 8. from which
a Dogwood 4 in. dia. bears S 18° W. 7 chs. dist. &
a W. Oak 12 " " N 7½ W 11½ " "
Land Rolling timber W. Oak B. Oak Beech Gum underg.
W. Oak Hickory Sassafras and some Green briar
-

- North Between Sec. 7 & 8, S. N. R. 4 E. Sept. 1st 1819
36.95 W. Oak 14 in. dia. in the line
40.00 Set the qf. Sec. post, from which
a W. Oak 14 in. dia. bears N 12° E. 25 chs. dist. &
a do 15 " " S 1½ E 24 " "
65.10 a W. Oak 14 " in the line
80.00 Set a post Cor to Sec. 5. 6. 7 & 8, from which
a W. Oak 12 in. dia. bears North 28 chs. dist. &
a do 15 " " S 21° E 8½ " "
Land Hilly timber as on the last Mile
-

- East On Random between Sec. 5 & 8, S. N. R. 4 E.
18.50 a Creek 10 chs. wide Course South
40.00 Set temp. qf. Sec. post
52.50 a Creek 5 chs. wide Course S. E.
69.00 a do 20 " " S. W.
79.76 Intersected the N. & S. line 201 chs. North of post
Land and timber as on the last Mile 3^d. rate
-

- West Corrected between Sec. 5 & 8, S. N. R. 4 E.
32.08 a W. Oak 18 in. dia. in the line
39.88 Set qf. Sec. post at average dist. from which
a W. Oak 26 in. dia. bears S 49° W 22° chs. dist. &
a Hickory 10 " " N 42° E 15 "

S. N. R. & E. I. Mar. Indiana

79. 76 to Section Corner

- West Between Sect. 6 $\frac{1}{4}$ & 7. S. N. R. & E.
21. 54 a W. Oak 18 in. dia. in the line
26. 50 a Creek 5 ehs. wide Course South
40. 00 Let the q. Sec. post, from which
a Hickory 8 in. dia. bears N 76° 47' 22" ehs. dist. ff
a Do 8 " " \$53 E 5 "
52. 18 a B. Oak 20 " " in the line
78. 33 Intersected the W. boundary 248 ehs. North of post
Let a post Cor. to Sect. 6 $\frac{1}{4}$ & 7. from which
a W. Oak 14 in. dia. bears N 20° E 23 ehs. dist. ff
a Gum 15 " " \$9 E 33 "
Land timber &c. as on the last Mile 5^o. rate
-

- North Between Sect. 5 $\frac{1}{4}$ & 6. S. N. R. & E.
12. 05 a B. Oak 15 in. dia. in the line
28. 70 a Creek 10 ehs. wide Course East
40. 00 Let the q. Sec. post, from which
a Beech 6 in. dia. bears N. 12° 47' 6 ehs. dist. ff
an Ironwood 4 " " \$33 E 22 "
55. 50 a Creek 8 ehs. wide Course East
57. 60 a W. Oak 24 in. dia. in the line
59. 00 a Creek 10 ehs. wide Course S. E.
55. 92 Intersected the North boundary 1.14 ehs. East of post.
Let a post Corner to Sect. 5 $\frac{1}{4}$ & 6. from which
a B. Oak 6 in. dia. bears S 35° 47' 19" ehs. dist. ff
a Do 12 " " N 22 E 13 "
Land hilly timber &c. after the last Mile 5^o. rate.
Surveyed by A. G. Looker, Asst. Surveyor
-

Compt

424

I certify that the foregoing transcript of field notes of
Township N.^o. 8 North, of Range N.^o. 4 E. I^o. Mo. Indiana
has been compared with the original notes in this
office and found to be correct.

Surveyor General's Office
Cincinnati, July 19th, 1841.

Q. P. Glavin,
Sur. Gen.